


exosomal liquid laser



By Dr. Maria Fedchuk

POST ACNE
PROTOCOL







**BEST
PRACTICES**

WHAT IS EXOSOMAL LIQUID LASER


BEST PRACTICE in skin rejuvenation, favored by many practitioners, who experienced its astounding effects and safety.

Skin biorevitalization achieved by combining two techniques:
controlled damage & efficient regeneration.



exosomal liquid laser

**REBUILDING
YOUNGER LOOKING,
PLUMPER,
TIGHTER &
HEALTHIER SKIN**



PROTOCOLS

By Dr. Maria Fedchuk



- Non invasive skin treatment with no downtime
- Accelerated skin repair and regeneration via stimulating immune response
- Immediate tightening of loose/saggy skin
- Evening skin tone, damaged by post inflammatory hyperpigmentation and UV exposure
- Repairing post acne scarring
- Awakening collagen producing cells known as fibroblast
- Reducing transepidermal water loss (TEWL)
- Redensifying dermis
- Revitalizing skin for radiance and vitality
- Quick and efficient results

PHASE ONE CONTROLLED DAMAGE



POST ACNE PROTOCOL



EVENING MORNING & EVENING



PH PREP SOLUTION



1.5 ml 0.5 ml

We recommend to perform 2-3 peeling procedures with 2-3 weeks, up to one month intervals apart (depending on the patient's skin condition) before starting the treatment with exosomes.

HOME CARE

It is recommended that the patient starts preparing for the treatment at least 1 week before by applying GF20 Exosome Boost every morning and every evening to prepare the skin.

IN OFFICE TREATMENT

STEP 1

Cleanse the skin with a delicate cleanser to remove make up and impurities.

Apply anesthetic cream, leave it for 30 minutes and remove with the sterilized facial tissue, followed by skin disinfection.


Spray 0.3 ml of PH PREP SOLUTION evenly on two cotton pads and apply on area to be treated to low down the skin's PH.

STEP 2

Take 1.5 ml of Radiance Bio Booster with a 16G needle syringe and 0.5 ml of Cell Renew, mix both solutions well and apply on the face in micro doses, evenly distributing all over the area of treatment.

Start massaging wearing nitrile gloves, applying medium pressure, for approximately 2 minutes.

PHASE TWO ACCELERATED REGENERATION



POST ACNE PROTOCOL

STEP 3

Spray Neutralizer generously on the surface of the skin to cover the whole area of treatment, protecting the eyes.

Finish massaging Neutralizer into the skin and completely remove neutralized peeling with the sterile tissues

soaked in physiological solution. Check on the patient's pain tolerance.

At this stage the patient might feel tingling on the skin.

User antiseptic solution to disinfect the skin.



STEP 4

Wash off neutralised peeling from the gloves with saline or sterile water and take 2.5 ml Purasomes NC 150+.

Apply Bio Booster evenly in microdoses on the areas of skin, where peeling and microneedling were performed.

It is recommended to use 5ml GF20 Exosomes Boost Cream to instantly relieve irritation and discomfort and expedite the healing process




HOME AFTERCARE

It is recommended that the patient continue applying GF20 Exosome Boost at home every morning and every evening.



TREATMENT WITH PURASOMES SGC 100+ SKIN GLOW COMPLEX



POST ACNE PROTOCOL

Assess the patient's skin and make sure she/he does not have any single inflammation or active acne/rash left.

IN OFFICE TREATMENT

STEP 1

Cleanse the skin with a delicate cleanser to remove make up and impurities.

Apply anesthetic cream, leave it for 30 minutes and remove with the sterilized facial tissue, followed by skin disinfection.

Spray 0.3 ml of PH PREP SOLUTION evenly on two cotton pads and apply on area to be treated to low down the skin's PH.



STEP 2

Perform a round of skin perfecting and stain removing treatment with Radiance + Cell Renew.

Ask the Patient.



STEP 3

Leave the peeling solution on the face and perform microneedling with 0.5mm depth.

Ask the patient to assess pain level, if the pain tolerance level is less than 7, apply another layer of peeling mix and massage it into the skin for another two minutes.

