
exosomal liquid laser



By Dr. Maria Fedchuk









BEST PRACTICES



STAIN REMOVING PROTOCOL



WHAT IS EXOSOMAL LIQUID LASER

BEST PRACTICE in skin rejuvenation, favored by many practitioners, who experienced its astounding effects and safety.

Skin biorevitalization achieved by combining two techniques: controlled damage & efficient regeneration.









exosomal liquid laser

REBUILDING YOUNGER LOOKING, PLUMPER, TIGHTER & HEALTHIER SKIN



PROTOCOLSBy Dr. Maria Fedchuk



- Non invasive skin treatment with no downtime
- Accelerated skin repair and regeneration via stimulating immune response
- Immediate tightening of loose/saggy skin
- Evening skin tone, damaged by post inflammatory hyperpigmentati on and UV exposure

- Repairing post acne scarring
- Awakening collagen producing cells known as fibroblast
- Reducing transepidermal water loss (TEWL)
- Redensifving dermis
- Revitalizing skin for radiance and vitality
- Quick and efficient results



PHASE ONE CONTROLLED DAMAGE



EVENING MODNING & EVENING

HOME CARE

It is recommended that the patient starts preparing for the treatment at least 1 week before by applying H8 Night Serum every evening and GF20 Exosome Boost every morning and every evening, at east 30 minutes after applying H8 Serum in the evening time to prepare the skin for the treatment.

IN OFFICE TREATMENT

STEP 1

Cleanse the skin with a delicate cleanser to remove make up and impurities.

Apply anesthetic cream, leave it for 30 minutes and remove with the sterilized facial tissue, followed by skin disinfection.

Spray 0.3 ml of PH PREP SOLUTION evenly on two cotton pads and apply on area to be treated to low down the skin's PH.

STEP 2

Take 1.5ml of Radiance BioBooster with a 16G needle syringe and 0.5ml of Cell Renew, mix both solutions well and apply on the face in micro doses, evenly distributing all over the area of treatment.

Start massaging wearing nitrile gloves, applying medium pressure, for approximately 2 minutes.

STEP 3

Leave the peeling solution on the face and perform microneedling with 0.5mm depth.

Ask the patient to assess pain level, if the pain tolerance level is less than 7, apply another layer of peeling mix and massage it into the skin for another two minutes.

PROTOCOL STAIN REMOVIN









NOTRALIZER

STEP 4

Spray Neutralizer generously on the surface of the skin to cover the whole area of treatment, protecting the eyes.

Finish massaging Neutralizer into the skin and completely remove neutralized peeling with the sterile tissues soaked in physiological solution.

Check on the patient's pain tolerance. At this stage the patient might feel tingling on the skin.

User antiseptic solution to disinfect the skin.



STEP 5

Wash off neuralised peeling from the gloves with saline or sterile water and take 2.5 ml Purasomes SGC 100+.

Apply biobooster evenly in microdoses on the areas of skin, where peeling and microneedling were performed.

It is recommended to use 5 ml GF20 Exosomes Boost Cream to instantly relieve irritation and discomfort and expedite the healing process.

HE CONTROL OF THIRD WITH

EVENING MORNING & EVENING

HOME AFTERCARE

In 48 hours after the treatment

It is recommended that the patient continues using GF20 Exosomes Boost every morning and evening. H8 Night Serum should be used only once, in

the evening time, followed by GF20 Exosomes Boost in 30 minutes.

PHASE TWO ACCELERATED REGENERATION



TAIN REMOVING PROTOCOL